Art Unit: 2834

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or
additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the
payment of the issue fee.

The application has been amended as follows:

- In the claims: Claim 19, line 17 (as filed on 11/1/07) should read:
- (3) an elastomeric toroidal seal ring located at a vibrational <u>node</u> of the ultrasonic --(emphasis added).

## Allowable Subject Matter

- Claims 12-23 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: The references of the Prior Art of Record fail to teach or suggest either alone or in obvious combination the limitations as set forth in claims 12 and 19. The references of the IDS filed on May 7 and 8, 2008 have been fully considered but failed to disclose the seal assembly as claimed in the independent claims and the toroidal seal ring located at a vibrational node of the ultrasonic probe as required.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jaydi A. San Martin whose telephone number is 571-272-2018.

The examiner can normally be reached on M-Th 9-7.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Darren E. Schuberg can be reached on 571-272-2044. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jaydi A. San Martin/ Primary Examiner

Art Unit 2834

6/4/08